

INDEX MAPS.

T.25N.R.4 E. 2^d Mer.

414	415	415	416	416	417	
420 6	457 5	449 4	442 3	435 2	428 1	414
458	457	448	441	434	427	
420 7	457 8	447 9	440 10	434 11	426 12	413
456	456	447	440	433	426	
419 18	455 17	446 16	439 15	432 14	425 13	413
454	454	446	439	432	424	
419 19	453 20	445 21	438 22	431 23	423 24	412
452	452	445	437	430	423	
418 30	451 29	444 28	437 27	430 26	422 25	412
451	450	443	436	429	421	
418 31	449 32	443 33	436 34	428 35	421 36	411
409	409	410	410	410	411	

T.26N.R.4 E. Mer.

Claim No. 7, page 480

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24

North Boundary of Reservation.

468	30	476	28	474	27	472	26	470	25	467		
469	No. 7.	478	475	473	471	469						
467	31	477	32	474	33	472	34	470	35	468	36	466
463		463		464		464		465		465		

Claim No. 7. page 480

Township No. 25 N. Range No. 4 E. 2nd Mer. Indiana.
Ch. lks.

South Boundary.

Var. 4th 35' E.

- N. 89th 40' E. On S. Boundary of Sec. 31.
2.50 a Stream 10 lks. wide co. Northwly
5.00 a Road N. & S.
13.60 a Stream 50 lks. wide co. Northwly
15.00 Lean Creek Bottom " Northwly
22.60 a W. Oak 12 in. diam.
32.00 a Road N. & S.
39.37 Set 2nd Sec. from p. wh.
a Beech 6 in. diam. to N. 69 W. 24 lks. dis.
a Sugar 10 " " " N 38 E. 13 " "
40.00 a Spring Brook 8 lks. wide co. S. W.
45.00 Same " N. W.
57.00 Same " S. W.
65.30 a W. Wood 18 in. diam.
79.37 Set from Co. to Sec. 31 & 32 p. wh.
a Beech 15 in. diam. to N. 89 W. 52 lks. dis.
a W. Wood 36 " " " N. 41 E. 43 " "
Land Sur. find rate - W. Wood
Beech. Sugar. Ironw. Lym. B. Walnut
Sycamore fr. P. Ash. & Spru

- N. 89th 40' E. On S. Boundary of Sec. 32.
20.50 a W. Ash 15 in. diam.
40.00 Set 2nd Sec. from p. wh.
a Beech 6 in. diam. to S. 71 W. 20 lks. dis.
a Do 6 " " " N. 73 W. 32 " "
47.00 Enter Swamp N. & S.
50.00 Lean Do S. E. & N. W.
61.20 a Beech 15 in. diam.
80.00 Set from Co. to Sec. 32 & 33 p. wh.
a Beech 15 in. diam. to N. 7 W. 37 lks. dis.
a Do 12 " " " N. 47 E. 48 " "
Land Sur. find rate - Beech. Sugar,
Lym. Ironw. Elm. W. Ash. Hick. P. Ash. & Spru

T. 25 N. R. 4 E. 2nd Mer. Indiana.

ch. lks.

N 89.40' E. On S. Boundary of Sec. 33.

17.02 a W. Oak 12 in. diam.

22.00 Enter Swamp N.Y.

26.00 Leave Lk N.Y.

27.00 a Road N.Y.

40.00 Set 2nd Sec. post p. wh.

a Beech 12 in. diam. N 44 E. 40 lks. &

a Lk 6 " " " 4.62 W. 8 "

62.10 a Lk 8 " "

80.00 Set post Cor. to Sec. 33 & 34 p. wh.

an Elm 12 in. diam. N 75 W. 38 lks. &

a Sycamore 12 " " " N 40 E. 70 "

Land Sur. firm rate - Beech,
Sugar, Lym. Sycamore, W. B. Ash, Iron-
wood - Spruce, P. AshOct. 29th 1846.

N 89.40' E. On S. Boundary of Sec. 34

23.20 a Sycamore 18 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Beech 12 in. diam. N 49 W. 25 lks. dir.

a Lk 8 " " " 4.27 W. 35 " "

59.55 a Sycamore 18 " "

80.00 Set post Cor. to Sec. 34 & 35 p. wh.

a Beech 15 in. diam. N 86 E. 37 lks. &

a Lk 8 " " " N 66 W. 52 "

Land Sur. firm rate - Timber
Sycamore, W. B. Ash, Lym. Soft Oak,
Maple, Beech, Sugar - Magnolia
Spruce & P. Ash.

N 89.40' E. On S. Boundary of Sec. 35

29.64 a Beech 8 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Beech 10 in. diam. N 24 W. 39 lks. dir.

a W. Oak 8 " " " 4.61 W. 25 " "

T. 25 N. R. 4 E. 2nd Mer. Indiana.

411.

Chs. lks.

52.50 a Road N. & S.
 59.48 a Beech 10 in. diam.
 80.00 Set post Cor. to Sec. 35 & 36 p. wh.
 a Beech 10 in. diam. to N. 52 W. 30 lks. &
 a Sugar 12 " " " N. 64 E. 34 "
 Land Lure fine rate - Beech
 Sycamon Lyrm. Beech. B. Walnut,
 Sugar. Ironwood, Whitewood, M. Oak,
 Maple &c - P. Ash & Spice

N. 89.40 E. On S. Boundary of Sec. 36

17.50 a Sycamon 18 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Beech 8 in. diam. to N. 28 E. 18 lks. dis.

a Sugar 10 " " " N. 10 E. 32 " "

59.06 a Sycamon 18 " "

80.00 Set post Cor. to Towns 24 & 25 N. Ranges
 4 & 5 East from which

a Beech 12 in. diam. to N. 38 E. 15 lks. &

a Do 12 " " " N. 68 W. 50 "

Intersected Random S. 80 E. of post

Same Lure fine rate -

Lyrm. Ironwood, Sycamon, Whitewood

Beech, Sugar, M. & B. Oak, B. Walnut -

Buckeye &c - P. Ash & Spice

East Boundary.

N. 45.0 E.

North On E. Boundary of Sec. 36.

25.30 a Beech 12 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Beech 15 in. diam. to N. 40 W. 25 lks. dis.

a Do 12 " " " N. 33 E. 46 " "

59.30 a Do 12 " "

80.00 Set post Cor. to Sec. 25 & 36 p. wh.

a Sugar 15 in. diam. to N. 45 W. 71 lks. dis.

T. 25 N., R. 4 E., 2nd. Mer. Indiana.
chs. lks.

a Beech 12 in. diam. E. 4.14 W. 54 lks. ab.

Land Low fine rate -
Beech, Sugar, Sycamore, Lym. White-
Wood, B. Walnut, Ironwood, Soft. Oak.
W. & B. Ash fr. P. Ash & Spice

North On E. Boundary of Sec. 25.

6.00 G. W. Cor. of small field

19.00 a Road from Marion to Delphi E. & W.

19.50 Enter field E. & W. - about 5.00 each way

23.75 Leave do E. & W.

25.00 Dry Bed of stream 25 lks. wide co. Westward

40.00 Set 2nd Sec. post p. wh.

a Beech 15 in. diam. E. 4.54 W. 40 lks. x

a do 8 " " " N. 54 E. 24 "

53.70 a do 12 " " "

80.00 Set post Cor. to Sec. 24 & 25 p. wh.

a Beech 15 in. diam. E. 4.6 W. 44 lks. x

a do 18 " " " N. 7 W. 46 "

Land Low fine rate - clay
soil - Timber with W. & B. Ash. W. & B.
Oak, Sugar, Lym. Ironwood, White-
wood, B. Walnut, Hickory fr -
Spice & P. Ash -

North On E. Boundary of Sec. 24

18.17 a Beech 12 in. diam.

20.00 Enter E. side of field E. & W. Extending to the West 8.00

24.00 Leave do E. & W.

40.00 Set 2nd Sec. post p. wh.

a Beech 10 in. diam. E. 4.43 E. 58 lks. x

a do 8, " " " N. 8 W. 5 "

44.50 Bed of stream 10 lks. wide co. Westward

57.11 a W. Oak 12 in. diam.

74.00 Enter Low Land E. & W.

413.

T. 25 N. R. 4 E. 2nd Mer. Indiana.

cks. lks.

80.00 Set post Cor. to Sec. 13 & 24 p. wh.
a W. Oak 16 in. diam. B. N. 49 W. 88 lks. dis.
an Elm 12 " " " 4.59 W. 28 " "

Land here first rate clay soil -
Beech, Elm, Sugar, Horned, B. Walnut,
Sycamore, Hickory, Buckeye, Maple,
W. B. Ash, Oak, White wood, & - Ind. gth.
Spice & P. Ash Oct. 30. 1846.

North On E. Boundary of Sec. 13.

10.00 Clear Low soil Land E. & W.

22.80 a W. Ash 8 in. diam.

40.00 Set 2nd Sec. post p. wh.

a W. Ash 6 in. diam. B. 4.32 W. 5 lks. dis.

a Do 6 " " " N. 49 E. 11 " "

64.65 a Do 10 " "

80.00 Set post Cor. to Sec. 12 & 13 p. wh.

a Beech 8 in. diam. B. N. 62 W. 21 lks.

a Sugar 20 " " " 4.23 W. 25 "

Land here first rate - Clay
soil - W. B. Ash, Elm, Sycam. W. B. Oak,
Beech, Sugar, Hornwood, White Wood, B.
Walnut, Hickory, & - Spice & P. Ash

North On E. Boundary of Sec. 12.

9.00 Dry Bed of Stream 10 lks. wide co. Westernly

17.64 a W. Oak 12 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Beech 10 in. diam. B. 4.5 W. 37 lks. dis.

a Do 10 " " " N. 64 E. 22 " "

52.50 a Road E. & W.

59.40 an Elm 26 in. diam.

60.00 a Stream 10 lks. wide co. West

80.00 Set post Cor. to Sec. 1 & 12 p. wh.

a Beech 10 in. diam. B. 4.83 W. 46 lks. &

a Do 12 " " " N. 27 W. 62 "

T. 25 N. R. 4 E. 2nd Mer. Indiana.
ch. lks.

Land gently rolling good
2nd rate Clay Soil. Beech. Sugar,
W. B. Oak. Elm. Gynn. Ironwood,
P. Ash & Spice

North Q. 1. E. Boundary of Sec. 1.
24.80 a Buckeye, 8 in. diam.
28.50 a Road N.W. & S.E.
40.00 S. E. L 2nd Sec. for l p. wh.
a Beech 10 in. diam. S. 24 W. 45 lks. &
a Do 12 " " " N. 44 W. 53 "
55.00 to Pipe Creek 60 lks. wide co. S. by W.
61.50 Leave Do
65.50 an Elm 8 in. diam.
71.00 a Road N.W. & S.E.
75.50 To Town Cor. as previously Established
Sec N. Boundary for Witneps
Land rolling fine rate
Beech. Sugar. Buckeye. Gynn. W. B.
Oak. Ironw. &c - P. Ash & Spice -

North Boundary.

Var. 42° 30' E.
N. 89° 50' E. Q. 4. Boundary of Sec. 31 T. 26 N. R. 4 E.
16.70 a Gynn 10 in. diam.
20.00 a Road N. & S.
29.50 a Stream 10 lks. wide co. N. E.
37.35 S. E. L 2nd Sec. for l p. wh.
a Beech 10 in. diam. S. 51 W. 54 lks. &
a Gynn 6 " " " N. 15 E. 31 "
50.00 a Road N. & S.
60.90 a Hickory, 8 in. diam.
77.35 S. E. L for l Cor. to Sec. 31 & 32 p. wh.
a Beech 8 in. diam. S. 21 W. 50 lks. &
a Hickory, 10 " " " N. 9 E. 28 "
Land level fine rate Clay-

T. 25 N. R. 4 E. 2nd Mer. Indiana
chs. lks.

Soil. Beech, Sugar, Elm, W. B. Ash,
W. B. Oak, Ironwood, White wood,
Buckeye fr - P. Ash & Spruce

- N. 89.50' E. On S. Boundary of Sec. 32. T. 26 N. R. 4 E.
Var. 12.20' East
- 15.00 a Road N. E. & S. W.
- 20.50 a W. Oak 10 in. diam
- 40.00 a W. Ash 20 " " for Dr. Sec. post
a Beech 12 " " R. N. 8 W. 35 lks.
a Sugar 8 " " " S. 15 E. 25 "
- 44.00 a Stream 8 lks. wide co. N. E. and
Enter deadening N. & S.
- 52.00 a Stream 5 lks. wide co. Northwly
- 53.00 Clear deadening N. & S.
- 57.00 Second Steep Bank 7 ft. N. & S.
- 59.00 Dry Bed of Stream 10 lks. wide co. Northwly
- 60.58 a Beech 10 in. diam.
- 80.00 S. E. post Cor. to Sec. 32 & 33 p. wh.
a W. Ash 15 in. diam. R. N. 55 W. 24 lks.
a Beech 15 " " " N. 77 E. 55 "
- Land Soil fine rate - but
rather wet - Timber with W. B. Ash,
Elm, Spruce, Beech, Sugar, Ironwood,
Whiteoak, W. B. Oak, Buckeye fr -
Spruce & P. Ash.

- N. 89.50' E. On S. Boundary of Sec. 33. T. 26 N. R. 4 E.
- 23.93 a Beech 12 in. diam.
- 35.00 Enter Swamp N. & S.
- 40.00 S. E. Dr. Sec. post p. wh. (in swp.)
a Maple 10 in. diam. R. N. 60 W. 33 lks. &
a W. Oak 10 " " " S. 1 E. 19 "
- 50.00 Clear Swamp N. & S.
- 52.05 a Beech 10 in. diam.
- 62.00 Enter pile N. & S. extending 5.00 each way -

T. 25 N. R. 4 E, 2nd Mer. Indiana.
chs. lks.

- 67.50 a House 10 lks North of Line
68.50 Clear Field N. & S. of Stream 10 co. N. E.
80.00 Set post Cor. to Sec. 33 & 34 p. wh.
a Beech 12 in. diam. b. N. 11 W. 10 lks
a W. Ash 10 " " " N. 50 E. 42 "

Land sure fine rate Clay
soil - Beech, Sugar, W. & B. Oak, Lym.,
White wood, Ironb. Buckeye, W. & B. Ash.
Spice & P. Ash - In Swamp
Maple, Elm. & B. Ash.

- N. 89.50 E. On S. Boundary of Sec. 34 T. 26 N. R. 4 E.
20.16 an Ironwood 8 in. diam.
34.00 a Road N. & S.
37.00 a Road N. E. & S. W.
40.00 Set 2nd Sec. post p. wh.
a Beech 15 in. diam. b. N. 26 E. 27 lks
a Hickory 10 " " " N. 33 W. 19 "
41.00 Bed of Stream 10 lks. wide co. N. W.
52.00 Piv. of Strawtown Road N. & S.
59.50 a Beech 12 in. diam.
59.80 Bed of Stream 8 lks. wide co. Northw. ly
80.00 Set post Cor. to Sec. 34 & 35 p. wh.
a Beech 15 in. diam. b. N. 44 W. 35 lks
a Hc. 15 " " " N. 29 E. 40 "

Land sure Rich Clay soil
Beech, Sugar, Lym., Ironb. W. & R.
Oak, W. & B. Ash, B. Walnut Hickory,
Spice & P. Ash

- N. 89.50 E. On S. Boundary of Sec. 35. T. 26 N. R. 4 E.
11.50 a Road N. W. & S. E.
28.00 a Stream 10 lks. wide co. Northw. ly
30.72 a Beech 12 in. diam.
40.00 Set 2nd Sec. post p. wh.
a Beech 8 in. diam. b. N. 56 W. 14 lks. dis.

417.

T. 25 N. R. 4 E. 2nd Mer. Indiana.

- a Beech 8 in. diam. b. N. 40 E. 22 lbs. dis.
 41.00 a Road S. E. of N. W.
 51.50 Bed of Stream co. e. & rather
 60.72 a Beech 12 in. diam.
 73.50 Ascend 10 ft to Creek Bottoms NW & S. E.
 80.00 Set post Co. to Sec. 35 & 36 p. wh.
 a Buckeye 12 in. diam. b. N. 13 E. 23 lbs. &
 a W. Oak 10 " " " N. 72 W. 41 "

Land gently rolling fine
 rate - Beech Sugar. Ironw. White wood
 Lym. W. & B. Oak, B. Walnut, Hicky.
 &c - On Creek Bottoms
 Buckeye, Sycamore, W. B. Ash &c.
 Spruce & P. Ash

-
- N. 89.50 E. On S. Boundary of Sec. 36 T. 26 N. R. 4 E.
 13.00 Pipe Creek 60 lbs. - rapier gravelly
 bottom - course N. N. W.
 15.50 Ascend Bank 30 ft. N. W.
 16.50 Indian Burying Ground
 17.00 Enter Field N. & S. - about 500 N.
 22.50 a Stream 8 lbs. wide co. S. E.
 28.00 Clear Field N. & S.
 30.75 a Beech 12 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 a Beech 8 in. diam. b. N. 70 W. 21 lbs. &
 a Do 12 " " " S. 46 E. 5 "
 42.50 Enter Field N. side of Sec
 56.07 a Beech 12 in. diam. & clear field N. & S.
 64.00 Bed of Stream 10 lbs. wide co. Southw. by
 80.00 Set post Co. to Towns 25 & 26 North
 Ranges 4 & 5 East p. wh.
 a Beech. 12 in. diam. b. N. 39 E. 30 lbs. &
 a Do 30 " " " S. 26 W. 24 "
 Interspersed 3.60 S. of Random post.
 Land gently rolling

418. T. 25 N. R. 4 E, 2nd Mer. Indiana,
Ch. Hk.

first rate - Mostly cleared fields
Beech, B. Walnut, Sycamore,
Butternut, Hickory, Lym. sp. Ang. th.
Spruce & P. Ash. Oct. 19, 1846.

West Boundary.

- Var. 42° 30' E.
North On E. Boundary of Sec. 36, T. 25 N. R. 3 E.
7.50 Descend 8 feet to Creek Bottom, E. & W.
10.00 a Stream 8 lks. wide co. Westward
14.00 Descend Creek 50. " " W. N. W. rapids
with Stony Bottom
15.00 Ascend 10 feet from Bottom, and
Enter Old Indian Clearings
26.30 a W. Wood 36 in. diam. and
Leave Old fields. E. & W.
40.00 Set 2^d Sec. pole p. wh.
a Sugar 15 in. diam. N. 57 E. 23 lks.
a Do 15 " " " N. 62 W. 25 "
53.05 a Hickory 12 " "
80.00 Set post Cor. to Sec. 25 & 36 p. wh.
a Beech 15 in. diam. N. 42 W. 48 lks.
a Do 8 " " " N. 33 W. 10 "

Land firm half mile rolling
Last half hrd, all first rate -
Beech, Sugar, Lym. sp. Ironw. Hickory,
White Wood, W. & B. Oak, W. & B. Ash &c

- North On E. Boundary of Sec. 25, T. 25 N. R. 3 E.
21.03 a B. Walnut 36 in. diam.
39.50 a Trail N. W. & E. E.
40.00 Set 2^d Sec. pole p. wh.
a Beech 10 in. diam. N. 66 W. 37 lks.
a W. Ash 10 " " " N. 85 E. 42 "
49.50 Dry Bed of Stream 10 lks. wide - Westward
58.40 a Buckeye 8 in. diam.

T. 25 N. R. 4 E. 2nd Mer. Indiana.
chs. lks.

67.50 Dry Bed of Stream 8 lks. wide co. Westward
80.00 Set post Cor. to Sec. 24 & 25 pr. wh.
a Beech 12 in. diam. B. 121 W. 37 lks. dis.
a Do 15 " " " N. 25 W. 36 " "
Land here fine state - Timber
Lynn. Ironb. B. Walnut, Hickory
Beech. W. & R. Oak. Sycamore. W. & B.
Ash. Maple &c - Some Spruce, P. Ash,
and Grape Vine

North On E. Boundary, of Sec. 24 T. 25 N. R. 3 E.
23.65 a White Wood 8 in. diam.
140.00 Set 2nd Sec. post pr. wh.
an Ironwood 4 in. diam. B. 175 W. 19 lks. &
a Beech 6 " " " 182 E. 15 "
443.50 Dry Bed of Stream 10 lks. wide co. Westward
60.00 a House 1.50 E. of this line
65.12 a Beech 12 in. diam.
80.00 Set post Cor. to Sec. 13 & 24 pr. wh.
a Blue Ash 12 in. diam. B. 146 W. 50 lks. &
a B. Ash 8 " " " N. 10 W. 19 "
Land here fine state - Beech,
Sugar. Lynn. Buckeye. Ironb. W.
Blue & Black Ash, Hickory, W. & R. Oak,
Elm, Sycamore Maple &c Oct. 28, 1846,

North On E. Boundary, of Sec. 13 T. 25 N. R. 13 E.
15.00 Road Ex. W. and descend 10 feet to
Creek Bottoms N. E. & S. W.
16.50 a Creek 50 lks. wide rapids & shallow
course westerly
29.25 a Beech 18 in. diam. & ascend 8 feet
from Creek Bottoms E. & W.
38.00 a Road N. E. & S. W.
40.00 Set 2nd Sec. post pr. wh.
a Beech 6 in. diam. B. 144 W. 42 lks. dis.

420.

T. 25 N. R. 4 E. 2nd Mer. Indiana.
ch. lks.a Beech 12 in. diam. B. 935 E. 3.6 lks.
56.20 a Do. 12 in. diam. B. 935 E. 3.6 lks.

86.00 Set post Cor. to Sec. 12 & 13 p. wh.

a Beech 6 in. diam. B. 129 W. 9 lks. &

a W. Ash 15 " " 9.47 E. 4.49 "

Land Lure first rate - Timber
Beech, Sugar, Elm, W. Ash, B. Walnut,
Hickory, Ironw. - Spice & P. Ash -

North Q. E. Boundary of Sec. 12 T. 25 N. R. 3 E.

24.60 a Beech 14 in. diam.

40.00 Set 2nd Sec. post p. wh.

a W. Oak 15 in. diam. B. 922 E. 15 lks. &

a Beech 6 " " " 140 W. 14 "

53.95 a W. Oak 12 " " Enter Low with Land Exp. W.

73.50 a Road E. N. E. & W. S. W.

80.00 Set post Cor. to Sec. 1 & 12 p. wh.

a W. Wood 15 in. diam. B. 925 W. 42 lks.

a W. Oak 10 " " " 175 W. 41 "

Land Lure first rate - Last
half mile rather well Beech, Sugar,
Ironwood, Gum, W. Ash &Elm, B. Ash, Sugar Oak, W. Beech,
Maple &

North Q. E. Boundary of Sec. 1, T. 25 N. R. 3 E.

3.00 a Road N. N. W. & S. E.

13.00 Land Swampy Land S. E. & N. W.

23.53 a B. Oak 18 in. diam.

40.00 Set 2nd Sec. post p. wh.

an Elm 12 in. diam. B. 917 W. 22 lks.

a W. Ash 10 " " " 25 E. 35 "

57.28 a W. Wood 15 " "

78.72 Interrupted N. Boundary as post as
previously established p. wh.

a Beech 12 in. diam. B. 987 E. 33 lks. dis

T. 25 N. R. 4 E. 2nd Mer. Indiana.
chs. lks.

a B. Oak 14 in. diam. to N. 30 W. 22 lks. &
Land rather Low & wet - but
fine state. Elm, B. Ash, W. Wood,
Ironwood, Maple, W. Beech, Oak, W. Ash &
Spice & P. Ash. Oct. 29. 1846
Surveyed by
John Mullite
Depy. Surveyor.

Subdivision

Var. 4th 50' E.

North Between Sections 35 & 36

- 1.75 a Walnut 20 in. diam.
11.00 a Branch 8 lks. wide ca. W.
22.68 a W. Elm 18 in. diam.
40.00 4th 2nd Sec. for p. wh.
a Beech 8 in. diam. to N. 13 E. 23 lks. &
a Hickory 18 " " " S. 43 1/2 E. 13 "
49.54 a Poplar 36 " "
61.00 a Do 36 " "
70.50 a Pin Oak 12 " "
80.00 4th for Cont. Sec. 25, 26, 35 & 36 p. wh.
a Beech 12 in. diam. to S. 68 E. 28 lks. &
a Do 8 " " " N. 25 W. 20 "

The Land along this 80.00
is heavy timbered, inclined to be wet
White & Blue Clay soil

Land fine 40.00 had clay
soil. second rate Timber W. Oak, Poplar,
& Beech. - Thick undergrowth of Spice, and
Beech. Last 40.00 had second rate Tim.
and undergrowth as before -

189.30^{1/2} On Random Betw⁴ Sec. 25 & 36 Var. 4th 50' E.
4.00 a Maple Swamp bars N. & S.
11.50 Clear Maple Swamp

T. 25 N. R. 4 E. 2nd Mer. Indiana.

chw lks.

36.50 Wet Marshy Sand bars N.

39.00 Clear L^o N.E.

41.00 Wet Swampy pool

81.00 Interrupted E. Boundary. 40 lks. S. of pool
 Sand from 40.00 level second rate
 Timber W. Oak, G. Ash, Sycamore & Beech.
 Last 40.00 level good second rate
 Timber Sugar, Sycamore, Lym. Ash, and
 Beech. 2 W. dgt. Spruce, Beech, and
 Ironw? throughout.

18928' N. Established Line Betw. Sec. 25 & 36.

8.13 a Sugar 18 in. diam

35.61 a W. Elm 10 " "

40.00 Set 2nd Sec. post p. wh.
 a G. Ash 8 in. diam. E. 133¹/₂ W. 15 lks.
 a Buckeye 10 " " " 1.5 1¹/₂ E. 14 "

61.07 a Beech 20 " "

80.00 to Sec. Cor.

North Return Section 25 & 26 Var 4.50' E.

5.60 a G. Ash 30 in. diam.

25.00 State Road to Marion

31.75 a Hickory 18 in. diam.

40.00 Set 2nd Sec. post p. wh.
 a Beech 18 in. diam. E. 12 E. 24 lks.
 a L^o 12 " " " 1.5 1¹/₂ W. 30. "

56.00 a Swamp bars E. & W.

57.50 Clear L^o

71.10 a Beech 12 in. diam.

81.00 Set post cor. to Sec. 23, 24, 25, 26 p. wh.
 a Beech 10 in. diam. E. 179¹/₂ W. 17 lks. dis.
 a L^o 12 " " " 1.39 E. 41 " "

State Road noticed at 25.00 bears E. & E.,
 this Road is not opened in T. 25 N. R. 3 E. & the dim
 of location is difficult to find. or is it opened

423.

T 25 N. R. 4 E. 2nd Mer. Indiana

Chs. lks

any further West than the Line Betwⁿ
Sections 29 & 30

Land from 4000 bu. of
2nd rate Tim. Hick. R. Elm. & Beech, principally
Widgth Spruce & Beech
Last 4000 Second rate Tim.
Poplar, Beech, Sugar & Lym. Widgth as before.

N 89.30' E. On Random Betwⁿ Sec. 24 & 25. Var. 440' E.

21.00 a Branch 8 lks. wide co. N.

40.00 Set Temp. post

65.00 Small Creek 20 lks. wide co. N.

67.00 Small Improvement S. Variation

80.00 Intersection E. Boundary 8 lks. N. of post
The Creek at 65.00 is one fork
of the head waters of the N. Fork of Big Deer
Creek Low Banks. Now Current

Land from 4000 bu. of second
rate - Timber W. Oak, Lym. Hick. & Beech.
Thick Widgth. of Spruce, Ironwood & Beech.
Last 4000 Open & bu. of second rate. Timber
Oak, Beech, Sugar & Lym. Widgth
Same as before

N 89.32' W. Established a Line betwⁿ Sec. 24 & 25

20.68 a Poplar 30 in. diam.

31.00 a Beech 12 " "

40.00 Set 2nd Sec. post p. N. H.

a Burr Oak 12 in. diam. to 13' W. 18 lks. N.

a Do 12 " " " S. 9 1/2 E. 20 " "

60.93 a Lym. 15 " "

71.18 a Beech 12 " "

80.00 to Sec. Cor.

North Between Sections 23 & 24 Var. 450' E.

5.93 a G. Ash 18 in. diam.

424. T. 25 N. R. 4 E. 2nd Mer. Indiana.

clo. lks.

15.69 a Beech 12 in. diam.

26.84 a Do 14 " "

40.00 Set 2nd Sec. for L. pr. wh.

a W. Oak 36 in. diam. B. 44 M. 16 lks. dis.

a Hickory 8 " " " 20 E. 21 " "

43.25 a Poplar 30 " "

49.00 Gently rolling Land

63.00 a Small Creek 18 lks. wide ca. N. W.
Low Banks Slow Current

68.00 a Beech 12 in. diam.

80.00 Established for L. Co. to Secs 13, 14, 23, 24.

a Burr Oak 24 in. diam. B. N. 53 M. 47 lks. dis.

an Ironw. 8 " " " 18 E. 10 " "

Land firm 30.00 lurl second
rate - Next 10.00 incline to be wrl -

Timber W. Oak, Gymn. Sugar on Beech.

Wdght. Spruce & Beech. - Next 9.00 lurl

Last 3.00 rolling, all second rate - Tim.

Burr Oak, Poplar, & Beech. - Wdght.

P. Ash, Ironw. & Beech. - Jan. 27, 1847

18930 E. On Random Betw. Secs 13 & 24 Mar. 4. 20 E.

36.50 a. Desert 5 ft to Low Bottom Land
inundated

38.50 N. Fork of Deer Creek 30 lks. wide ca.
N. W. Low Banks - Slow Current

40.00 Set Temp. for L.

44.00 Scar low Bottom Land

75.00 a Willow Pond Extends N. & S.

80.00 Intermittent E. Boundary 10 lks. S. of pond

Land firm 36.50 lurl second
rate - Next 3.50 low Bottom Land subject

to inundation - second rate - Timber on this

4.00 W. Oak, Gymn. Sugar, Beech, & Maple.

Next 3.00 lurl 2nd Rate - Timber W. Oak

Beech & Gymn. Last 5.00 Sup. or Pond

T. 25 N. R. 4 E. 2nd Mex. Indiana,
ch. bk.

poor - Timber Maple

\$89.26 W. Established Line Bet^h Sed. 13 & 24

10.43 a R. Oak 20 in. diam

35.16 a Lym 20 " "

40.00 Set 2nd Sec. post p. wh.

a S. Ash 18 in. diam. to N. 25 E. 4.6 Ch. &

a S. Ash 8 " " " 4.2 W. 27 "

41.10 a Birch 20 " "

65.00 to Sec. Cor.

North Between Sections 13 & 14 Var. 4.30 E.

7.95 a Birch 18 in. diam.

15.34 a Red Elm 24 " "

18.50 Ascent of Bank 6 feet E. 10th 68th

21.00 N. Fork of Big Deer Creek Low Banks.
Flow Current N. W.

21.50 Near N. Fork of Deer Creek

28.50 Ascent of Land 5 feet E. 10th 40th

32.00 a Birch 12 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Lym. 8 in. diam. to North 21 Ch. dis.

a Birch 12 " " " 4.11 E. 6 " "

53.05 a Do 12 " "

55.00 Old Windfall bar E.

61.06 a G. Ash 6 in. diam.

76.00 Near Old Windfall

77.04 a Sycamore 34 in. diam.

80.00 Set post Cor. to Sed. 11. 12. 13. 14 p. wh.

a Sycamore 30 in. diam. to N. 62 E. 6 Ch. dis.

a W. Elm 10 " " " West 4 " "

Same first 18.00 but 2nd rate -

Timber W. Oak, Poplar & Birch. Under th.

Spice & Birch. Next 10.00 Low Bottom

Land overflowed & on a rate. Next

11.50 Good timber as before Last 40.00

T. 25. N. R. 4 E. 2nd Mer. Indiana

Ch. Co.

Level second rate - Timber what is
standing Beech, Sycamore & Logorn,
Wngth. Spice, Beech & Ironho.

189.30' On Random Butte: Sec. 12 & 13 Var. 4.40' E

10.00 Gently rolling Land

40.00 Set Temp. for

61.50 a Branch 6 in. wide co. North.

79.80 Interrupted E. Boundary. 21 M. S. of point.

Land for 10.00 level 2nd
rate - West 30.00 gently rolling good
second rate - Timber W. Oak, G. Ash,
Sugar & Beech. - Wngth. Spice &
Beech. - Land Last 39.80 rolling
second rate - Timber W. Oak, Sugar,
and Beech. - Wngth. Spice & Beech.

189.26 W. Established Line Butte: Sec. 12 & 13

29.56 a G. Ash 24 in. diam.

35.61 a Beech 12 " "

39.90 Set 2nd Sec. for p. wh.

a Sycamore 36 in. diam. B. 4,338.25 lbs. x

a. No 3 " " " 1296.25 "

50.91 a Beech 20 " "

70.46 a No 18 " "

79.80 to Sec. Cor.

N. 8' W. Between Sections 11 & 12 Var. 4.50' E.

13.32 a W. Oak 18 in. diam.

30.31 a Poplar 24 " "

40.00 Set 2nd Sec. for p. wh.

a Beech 6 in. diam. B. 1286.8 lbs. dis.
an Ironho. 8, " " " 1894 W. 4 " "

47.09 a Poplar 20 " "

70.00 Arm of Beaver Dam runs N. W.
3.00 to Branch

S. 25 N. R. 4 E. 2^{1/2} Mer. Indiana. 427.

cks. lks.

80.00 Set for loc. to Sec. 1, 2, 11, 12 p. wh.
a W. Oak 36 in. diam. p. South 26 lks.
a R. Oak 10 " " " N. 30 E. 23 "

The Beaver Dam is some 1000 in length - and 5 feet high - the N. part from the Branch bears S. W.

Land from 4000 incline a to be wt second rate Timber Poplar, Sycamore, W. Oak, Gum, & Beech - Unghth. Spruce, Beech & Ironwood. Last 4000 inclined to be wt to the Beaver Dam. Last 1000 dry land - all poor second rate Timber in Unghth. Same as before -

1892^{1/2} W. Ch. Random Butte Sec. 1 & 12 Van 4^{1/2} E.

21.00 a Small Branch 6 lks. wide co. N. E.

33.00 a Road bears S. E.

40.00 Set Temp. p. post

43.50 West side of Improvement - Sec.
Line passes through the middle of Improvement
Contains 10 Cons. Log Cabin on N. part

49.00 Clear Improvement

57.00 a Branch 8 lks. wide co. N.

79.95 Interrupted E. Boundary at post

Land from 4000 land second rate - Timber W. Oak, Gum, Sycamore, and Beech - Unghth. P. Ash & Spruce.

Last 39.95 rolling second rate - Timber W. Oak & Beech, principally - Unghth. Spruce, Ironwood & Beech. -

1892^{1/2} W. Established Line Butte Sec. 1 & 12.

18.00 a Beech 12 in. diam.

29.31 a Hickory 18 " "

39.97 Set 2nd Sec. post for wh.

a Poplar 18 in. diam. N. North 18 lks. di.

S. 25 N. R. 4 E. 2nd Mer. Indiana,
cho. lks.

a Poplar 12 in. diam. 8th 165 E. 10 lks. x
61.05 a Beech 24 " "
79.95 to Sec. Cor.

N. 8th Between Sections 1 & 2 Var. 4:50 E.
26.00 a Road across S. E.
29.00 a Branch 8 lks. wide co. N. W.
46.00 S. L. Temp. just
53.00 S. side of Impervium vacated
58.00 Clear Improvement
61.00 Descent of Ground Elev. 30°
62.00 Foot of Descent
78.29 Intersected N. Boundary at just

Lana first 40.00 had second
rate Timber W. Oak, Beech, Ash, & Gum.

Last 36.29 second rate Timber
W. Oak, Poplar, Sugar, G. Ash, & Beech.
Wingth, Spruce, Hemlock, & Beech

S. 8 E. Established Line Betw. Secs. 1 & 2
14.00 a Beech 18 in. diam. { W. Beech 8th 162 W. 12 lks.
31.00 a R. Elm 02 " " { W. Walnut 10th 24 E. 62 "
36.29 S. L. 2nd Sec. just prior
a G. Ash 24 in. diam. to North 24 lks. x
a Buckeye 10 " " " 1:50 E. 2 "
61.82 a Beech 12 " "
76.29 to Sec. Cor. July 28. 1847 -

North Between Sections 34 & 35 Var. 4:50 E.
18.85 a W. Oak 24 in. diam.
28.68 a Sugar 12 " "
33.50 a Brush Pond has N. E.
36.50 Clear do
38.00 a W. Oak 18 in. diam.
40.00 Established 2nd Sec. just prior
a W. Oak 12 in. diam. to N. 11 E. 36 lks. dis.

125 N. R. 4 E. 2nd Mer. Indiana.

429.

ch. lbs.

- a Sugar 8 in. diam. $\frac{1}{2}$ ft. 11 W. 27 lbs. dis.
 41.00 a Willow Pond bars N. E.
 44.00 Lean Pond
 52.00 a G. Ash 18 in. diam.
 67.87 a Lym 18 " "
 80.00 Set from Cor. to Sec. 26, 27, 34, 35 p. wh.
 a W. Elm 12 in. diam. $\frac{1}{2}$ ft. 20 $\frac{1}{2}$ E. 20 lbs. &
 a Beech 8 " " " N. 69 W. 29 "

Lana fine 33.50 & last 3.50
 Soil Suona rate Lana Tim. W. Oak. Lym.
 Ash & Beech. Width. Spice. Monrovia,
 and Beech. Lana last 40.00 hnd
 inclined to be wt. poor Suona rate
 Timber W. Oak. Elm. Lym. & Beech.
 Width. P. Ash. Spice & Beech.

- 189.30 E. On Random Butte: Sec. 26 & 35. Var. 4.40 E.
 35.00 Rolling Lana
 40.00 Set Temp. post
 40.50 State Road from Peru to Shawtown
 bars $\frac{1}{2}$ 20 E.

- 50.00 Lean Rolling Lana.
 80.40 Interrupted $\frac{1}{2}$ ft. Line 78 lbs. $\frac{1}{2}$ ft. of post
 Lana fine 35.00 hnd. Next 2
 5.00 rolling - all Suona rate. Timber
 W. Oak. Poplar. Lym. Beech. Next
 10.00 Rolling - Bal. hnd all Suona
 rate - Timber W. Oak. Lym. Poplar,
 and Beech. Width. P. Ash. Beech & hnd.

- 188.5 $\frac{1}{2}$ ft. Establish a Line Butte: Sec. 26 & 35.
 15.75 a G. Ash 18 in. diam.
 30.19 a Beech 18 " "
 40.20 Set 2nd Sec. just p. wh.
 a Beech 12 in. diam. $\frac{1}{2}$ ft. 23 $\frac{1}{2}$ W. 0.6 lbs. &
 a Sugar 12 " " " $\frac{1}{2}$ ft. 19 W. 34 "

430.

T. 25 N. R. 4 E. 2nd Mer. Indiana.

Ch. lks.

61.10 a Beech 12 in. diam.

71.93 a Lym 18 " "

80.40 to Sec. Cor.

North Betrnd. Section 26 & 27 Var. 430 E.

7.19 a W. Elm 18 in. diam.

10.00 Low wet Land bars E & W.

26.50 a Poplar 30 in. diam.

32.00 State Road from Delphi to Marion

35.00 a W. Elm 20 in. diam.

40.00 Sec 2nd Sec. from p. wh.

a Beech 8 in. diam. N. 31 E. 18 lks. dis.

a Sugar - " " " N. 12 W. 31 " "

41.00 Sedge wet Prairie

48.27 a Beech 12 in. diam.

54.00 a W. Elm 20 " "

60.00 E. end of Willow Pond

63.00 Lean Pond

63.26 a Beech 12 in. diam.

79.00 a Branch 6 lks. wide co. N. 10 E.

80.00 Sec. from Cor. to Sec. 22, 23, 26, 27. p. wh.

a W. Elm 20 in. diam. N. 50 E. 22 lks.

a Hick^y 8 " " " N. 40 W. 2 "Land first 10.00 hord 2nd rate

Next 30.00 wet poor Timber Oak, Y. Ash,

Lym. & Beech. Last 39.00 Land good

Second rate - Timber W. Oak, Sugar,

Y. Ash, Lym. W. R. Elm & Beech. Thick

Undergrowth of Spice & Beech.

N. 89 E On Random Betrnd Sec 23 & 26 Var. 440 E.

50 a Branch 6 lks. wide co. N. 100 E. ~

16.50 a No 4 " " " N. W.

25.50 State Road from Perma to Hawthorn 18 E.

35.00 a Branch of N. fork of Deer Creek. co. N. W.

35.20 Ascend of ground

431.

T. 25 N. R. 4 E. 2nd Mer. Indiana.

chr. lks.

45.00 Set Temp. post
 69.50 a Large Branch 15 lks. wide co. N 20 W.
 80.40 Interrupted N. P. Line 68 lks. S. of post
 Land from 40.00 land and Open
 second rate Timber W. Oak. & Beech
 Last 40.40 Low of Low post, Timber
 Oak, Lym. Maple, Hickory, Beech. Thick
 growth of P. Ash, Spruce & Beech

188.32 1/2 Established Line Betwst Secs 23 & 26
 31.00 a Burr Oak 24 in. diam.
 40.20 Set 2nd Sec. post p. wh.
 a Hickory 10 in. diam. to S. 5 W. 12 lks. dir.
 a W. Beech 10 " " " N 67 W. 10 " "
 60.75 a Beech 18 " "
 80.40 to Sec. Cor.

North Between Sections 22 & 23 Var. 4.50' E.
 17.84 a Beech 20 in. diam.
 32.50 a Branch 6 lks. wide co. N 20 E.
 37.82 a W. Oak 12 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 a Beech 12 in. diam. to N 4 E. 33 lks. &
 a Sugar 20 " " " S 39 W. 24 "
 54.64 a Beech 14 " "
 64.00 Large Branch 15 lks. wide part of
 N. Fork of Deer Creek
 64.20 Lean Branch corner N. W.
 71.40 a Beech 12 in. diam.
 80.00 Established post Cor. to Secs. 14 15. 22. 23 p. wh.
 a Beech 18 in. diam. to S. 81 E. 25 lks. dir.
 a Do 12 " " " S 18 W. 20 " "
 Land from 40.00 land second
 rate Timber W. Oak, Sugar, Ash Lym. and
 Beech. Moderate growth of Spruce & Beech
 Land last 40.00 land good 2nd 1/4

T. 25 N. R. 4 E. 2nd Mer. Indiana,
Ch. Lk.

Rate - Timber W. Oak, Poplar, Lyrn &
Beech - Width. Spruce & Beech -

488.32 E. On Random Betw. Sec. 14 & 23. Var. 446 E.

4.50 a Branch 10 lks. wide ca. N. 15 W.

15.00 State Road from Peru to Strawtown
course South -

40.00 Set Temp. for

48.00 Windfall near S. 15 E.

75.50 Clear Windfall

77.00 Small Creek 15 lks. wide ca. N. 20 W. low
Banks. Slow Current

80.31 Intersected N. & S. Line 8 lks. N. of for

Land this 800 gently rolling
monasate - Timber W. Oak, Ash, Poplar,
Lyrn & Beech - Width. Spruce
Ironwood & Beech -

486.35 W. Established Line Betw. Sec. 14 & 23

18.00 a Beech 12 in. diam.

35.16 a Lyrn 18 " "

40.15 Set 2nd Sec. for p. in.

a Beech 12 in. diam. N. 17 E. 29 lks. dis.

a Sugar 10 " " " 433 W. 20 " "

59.81 a Beech 24 " "

76.00 a Lyrn 30 " "

80.31 to Sec. Cor.

North Return Section 14 & 15 Var. 450 E.

6.83 a Poplar 40 in. diam.

11.00 a Branch 6 lks. wide ca. N. W.

16.18 a Beech 12 in. diam.

18.00 a Creek 20 lks. wide ca. N. E.

20.00 Creek again 20 " " " N. W.

23.50 State Road from Peru to Strawtown
Course S. E. -

433.

T. 25 N. R. 4 E. 2nd Mer. Indiana,

Chs. lks.

- 25.13 a Beech 12 in. diam.
 30.00 Descent of Bank Elev. 70.
 30.25 Foot of Descent & low Bottom Land
 32.50 N. Fork of Big Deer Creek 60 links
 wide course West
 40.00 Set 2nd Sec. post from wh.
 an Ironwood 8 in. diam. B. S. 65° E. 6 lks. dis.
 a Logwood 8 " " " N. 67° W. 39 " "
 45.79 a Beech 18 " "
 72.14 a Do 20 " "
 80.00 Set post Cor. to Sec. 10, 11, 14, 15 from wh.
 a Beech 10 in. diam. B. S. 79° E. 37 lks. dis.
 an Ironwood 8 " " " N. 58° W. 3 "

Land first 3,000 lks. second
 rate - Timber W. Oak, Gum, & Beech -
 Next 10,000 Low Land third rate, inun-
 dated. Last 4,000 Lks. second rate -
 Timber W. Oak, Poplar, Gum, & Beech.
 Feb. 7, 1. 1847

N. 88.30° E. On Random Betw. Sec. 11 & 14, N. 44.40° E.,
 6.00 Wet Marshy Land

7.00 Old Windfall bars S. 80° E.

40.00 Set Temporary post

53.00 Near Old Windfall wet Land

80.10 Intersected by S. Line 32 lks. N. of post

Land first 6.00 Lks. second
 rate - Next 49.00 wet & Marshy - third
 rate - Timber Young growth Swamp
 Ash, Elm, Gum, Maple, Ironwood &
 Beech, Last 25.00 Lks. second rate -
 Timber W. Oak, Beech, Gum & Hickory
 Undergrowth, Spice, P. Ash & Beech -

N. 88.54° W. Established Line betw. Sec. 11 & 14

25.41 a Beech 24 in. diam.

434

1.25 N. R. 4 E. 2nd Mer. Indiana,
cho. lks.

- 40.05 Set 2nd Sec. post pr. wh.
a Sym 8 in. diam. & N. 55 E. 12 lks.
an Iron 8 " " " 4.27 E. 9 "
58.08 a Lho 8 " "
69.25 a Beech 20 " "
80.10 to Sec. Cor.

North Return Section 10x11 Var. 430'E.

- 7.35 a Sycamore 18 in. diam.
13.98 a G. Ash 18 " "
14.00 Old Windfall trees 1.80 E.
31.00 Leave Old Windfall
32.04 an H. Elm 18 in. diam.
40.00 Set 2nd Sec. post pr. wh.
a G. Ash 10 in. diam. & N. 88 E. 23 lks. dbr.
a W. Elm 12 " " " 4.38 W. 12 " "
46.22 a Sycamore 20 " "
74.00 an G. Ash 10 " "
80.00 Set post Cor. to Sec. 2, 3, 10, 11. pr. wh.
a W. Elm 18 in. diam. & N. 81 E. 21 lks.
a Burr Oak 10 " " " 4.88 W. 18 "

Land first 4000 had good
second rate - Timber W. Oak, G. Ash,
R. W. Elm, Sym, Beech, Timber in
Windfall small growth. Undergrowth.
Spice - Iron 10, Beech, Land last 4000
Soil poor - Timber Sycamore, Sym,
H. Elm, Ash, and Maple
Undergrowth, P. Ash, & Spice -

N. 89 E. On Random Return Sec. 2x11. Var. 430'E.

- 46.00 Set Temp. post
44.00 a Branch 6 lks. wide co. North.
66.00 a Lho 6 " " " North
71.00 a Lho 8 " " " N. 20 W.
80.00 Interrupted N. G. Line at post

T. 25 N. R. 4 E. 2nd Mer. Indiana.

Chs. lks.

Land this 8000 lvs inclined
to be well poor second rate - Timber
Poplar, Lym., Maple, S. Elm, & Beech,
Wingth. Beech, P. Ash, Spruce, Spruce.

189.00 W. Established Line betw. Sec. 2 & 11

18.00 a Lym 20 in. diam.

35.87 a Sycamore 30 " "

440.00 Set 2nd Sec. just from wh.

a G. Ash 20 in. diam. P. N. 51 E. 33 lvs.

a Hogwood 8 " " " 4.56 E. 21. "

57.19 a Poplar 20 " "

80.00 to Sec. Cor.

North Between Section 2 & 3 Var. 4.50 E.

15.00 a Branch 6 lvs. wide ca. N. 80 W.

24.50 a Neighborhood Road bars E. & W.

40.00 Set Temp. 7. just

60.00 a Neighborhood Road bars E. & W.

78.32 Intersected N. Boundary 15 lvs. E. of first
Cor. to Sec. 34 & 35 T. 26 N. R. 4 E.

Land this 4000 lvs. sure
inclined to be well third rate. Tim.
Lym., Sycamore, S. Ash, Elm, & Maple.
Set 38.32 lvs. second rate -
Timber W. Oak, Sugar, Elm, & Beech -
Wingth. Spruce, Spruce, & Beech

1. 06 E. Established Line betw. Sec. 2 & 3

* 29.31 a Beech 18 in. diam. { Beech 20 lvs. 3 1/4 W. 24 lvs.

38.32 Set 2nd Sec. just from wh. { Spruce 8. 4.25 E. 22 "

a Beech 8 in. diam. P. N. 10 E. 3 lvs. diam.

a Do 20 " " " 4.38 W. 31 " "

46.67 a Lym 20 " "

61.92 a W. Elm 18 " "

78.32 to Sec. Cor. Feb. 4. 1847.

T. 28 N. R. 4 E. 2nd Mer. Indiana.

Chs. lks.

North Between Sections 33 & 34. Var. 4.50 E.

16.25 a Hickory 18 in. diam.

16.46 a Red Elm 12 " "

19.00 a Maple Swamp, near E. & W.

26.00 Leave Swamp

28.91 a G. Ash 12 in. diam.

40.00 Set 2nd Sec. for 1st sec.

a Beech 12 in. diam. N. 9 W. 15 lks. &

an Ironw. 8 " " 4.21 E. 12 "

54.00 S. Side of Improvement contains 5
Acres. See Lim. paper through Middle
Log Cabin on W. part

59.00 Leave Improvement

64.00 Brush & Maple Pond Extends E. & W.

77.00 Leave Pond

80.00 Established lot to Sec. 27, 28, 33, 34 p. with

an Ironw. 8 in. diam. N. 62¹/₂ E. 8 lks. &a Ho 6 " " 4.54¹/₂ W. 71 "

Land from 19.00 to Last 14.00

Land from Sec. 27 to Timber W. Oak.

Sym. Sycamore, Ash & Beech. - On last

40.00. from 24.00 to last 3.00 Sec. 27

rate - Timber Oak, Poplar, Sym. & Beech.

Undgth. Spec. Ironw. & Beech.

N. 39.30 E. On Random Betw. Sec. 27 & 34. N. 4.40 E.

38.00 a Branch 6 lks. near co. N. W.

40.00 Set Temp. post

80.31 Interrupted N. 2nd Sec. 30 lks. N. of post.

Land from 40.00 to last 14.00

rate - Timber W. Oak, Elm, Sycamore

Sym. & Beech. Last 4.00 to Last 2nd rate

rate - Timber W. Oak, Poplar, Sym. & Beech.

Undgth. Spec. Prickly ash.

and Beech

T. 25 N. R. 4 E. 2nd Mer. Indiana, ^{437.}

Chs. 11/2

189.12' W. Established Line Betw² Secs. 27 & 34

21.63 a Lym 18 in. diam.

37.43 a Beech 12 " "

40.15 Set 2nd Sec. post p. wh.
an Ironb. 8 in. diam. B. 43 1/2 E. 9 1/2 k. &
a Do 5 " " " N. 61 W. 15 "

53.23 a W. Oak 18 " "

71.00 a Beech 30 " "

80.30 to Sec. Cor.

North Between Sections 27 & 28 Var. 4.30' E.

5.12 a Buckeye 10 in. diam.

19.90 a Hick. Elm 12 " "

26.50 a Road bars S. W. & N. E.

28.30 a Branch 12 k. wide co. West

35.17 a G. Ash 24 in. diam.

37.00 E. 5.00 Improvement Contains 5. Acres
a Log Cabin & Stable

40.00 Set 2nd Sec. post p. wh.

a R. Elm - in. diam. B. N. 74 E. 12 k.

a Beech 24 " " " N. 39 W. 32 "

50.94 a Hick. 24 " "

63.80 a Branch 10 k. wide co. W.

63.01 a Sycamore 24 in. diam.

80.00 Established Cor. to Secs. 21, 22, 27, 28 p. wh.

a W. Oak 24 in. diam. B. N. 37 E. 9 k. &

a Do 30 " " " N. 39 W. 18 "

Land first 40.00 hnd 2nd rate,
Timber W. Oak, Lym, Sycamore, & Beech.

Last 40.00 gently rolling good 2nd
rate - Timber, Poplar, Beech, W. Oak, & Lym,
Undegth. P. Ash, Beech, Spruce, & Ironb.

N. 89.40' E. Between Sections 22 & 27 Var. 4.40' East

25.75 a Road bars S. 30 W.

40.00 Set Temp. y. post

438.

T. 25 N. R. 4 E. 2nd Mer. Indiana,
Chs. Lk.

45.00 Wet Land Extends N. & S.

70.00 Clear Ld.

80.39 Intersected N. & S. Line 18 Lks. N. of just

Land first 45.00 land second
rate - Timber W. Oak, Poplar & Beech.Next 25.00 Wet & poor - Timber
Gum, Ash, Elm, Maple & Syc. Last10.39 Land second rate - Timber
Oak, Beech & Poplar - Undergrowth
Spice & Beech

S. 89.4 W. Established Line Betw. Sec. 22 & 27

26.00 a Beech 24 in. diam.

40.19 Set 2nd Sec. just from

a Beech 8 in. diam. N. 65 W. 30 Lks. &

a Hickory 8 " " " S. 5 E. 22 "

50.70 a Beech 20 " "

80.39 to Sec. Cor.

North Between Sec. 21 & 22. Var. 45° E.

6.05 a Beech 12 in. diam.

17.47 a Ld 14 " "

25.89 a Poplar 30 " "

40.00 Set 2nd Sec. just from wh.

a Beech 14 in. diam. N. 56 E. 35 Lks. &

a Syc. 6 " " " S. 53 W. 10 "

53.00 a Branch 6 Lks. wide co. E.

56.50 a Beech 10 in. diam.

63.00 an Elm 18 " "

80.00 Set just Cor. to Sec. 15. 16. 21. 22. from wh.

a Walnut 36 in. diam. N. 86 W. 18 Lks.

a R. Elm 8 " " " N. 71 E. 4 "

Land, all this 80.00 land good
2nd rate - Timber Poplar, Walnut, Elm
Syc. W. Oak, Beech, Spruce, P. Ash, Ironwood & Beech.

T25.1. R4 E. 2nd Mer. Indiana. ^{439.}

ch. lks.

- 189.40'E. Between Section 15 & 22 Var. 4.40'E.
 7.00 Large Branch 15 lks. wide co. N.
 14.00 S. W. Cor. of Martins improvement - con-
 tains 10 acres - a Log Cabin on ch. part
 21.00 Leach improvement S. E. Cor.
 40.00 1st Penins. part
 46.00 a Branch 6 lks. wide co. N.W.
 53.00 West Side of J. Clymer Farm contains
 20 acres - Log Cabin on ch. Part
 66.00 Leach Farm
 66.25 a Road cross ch. & S.
 67.00 Small Creek 20 lks. wide co. N.
 80.53 Intersected ch. & S. Line at part

Land first 40.00 gently rolling
 Second rate - Timber H. Oak, Beech, Poplar,
 Gum, & Sugar. - Last 40.53 second rate -
 Timber same as first - Undergrowth
 Spice, Beech, & Hornwood

- 489.40 N. Established Line Belts Sec. 15 & 22
 38.00 a Beech 20 in. diam.
 40.26 1st 2nd Sec. part p. ch.
 a Beech 18 in. diam. P. N. 15 lks. & 20 " "
 a do 12 " " " 35 lks. & 20 " "
 74.00 a Walnut 40 " "
 80.53 to Sec. Cor.

- North Between Section 15 & 16 Var. 4.30'E.
 18.64 a G. Ash 12 in. diam.
 36.02 a Beech 10 " "
 40.00 1st 2nd Sec. part p. ch.
 a G. Ash 20 in. diam. P. 49 lks. & 25 lks. x
 a Beech 8 " " " 70 lks. 30 "
 49.35 a H. Oak 30 " "
 54.50 North Fork of Bear Creek - Course
 N. Low Bank & Flow Current -

440.

T 25 N. R. 4 E. 2nd Mer. Indiana.

Ch. lks

55.00 Lean N. Fork

65.13 a Pin Oak 18 in. diam.

80.00 Set post Cor. to Sec. 9, 10, 15, 16, p. w. h.
an H. Elm 18 in. diam. N. 86° W. 36 " "

a No 20 " " " N 86° W. 36 " "

Land first 54.50 gently
rolling first rate. Timber W. Oak,
Poplar, Walnut & Beech. Last 25.50
Low - subject to inundation. poor soil
Timber Pin. Oak, Sycamore, Maple,
Lynn. Elm & Beech - Undergrowth, this
1800 P. Ash, Spice & Ironwood.

N 89° 40' E. On Random Betw. Sec. 10 & 15 Var. 4.40' E.

40.00 Set Temp. post

65.00 State Road from Penn to Shawtown S.

80.50 Intersected N. P. Line at post

Land first 40.00 level 2nd rate
rate. Timber. Oak, Lynn. Poplar, P. Ash &
Beech. Undergrowth, Spice, Ironwood & Beech.

Land Last 41.60 level good
Second rate. Timber W. Oak, Beech, Poplar,
Lynn & Sugar. Undergrowth as before

N 89° 40' W. Established line Betw. Sec. 10 & 15

10.13 a Beech 14 in. diam.

31.60 a No 24 " "

40.25 Set 2^d Sec. post p. w. h.

a Beech 10 in. diam. N. 89° 40' W. 10 lks. dir.

a No 12 " " " N 89° 40' W. 18 " "

48.91 a Lynn 24 " "

75.20 a Poplar 30 " "

80.50 to Sec. Cor. , Feb. 5th 1847

North Between Sections 9 & 10 Var. 4.30' E.

3.50 a Branch 4 lks wide co. S. W.

T. 25 N. R. 4 E. 2nd Mer. Indiana. 441.

ch. lks.

- 9.87 a Beech 12 in. diam.
 25.00 a Maple Swamp bar East
 29.00 Clear Swamp
 29.08 a W. Elm 20 in. diam.
 38.00 a Maple Swamp again extend N. E.
 Current of Water W. W.
 40.00 Set 2nd Sec. for 1/2 p. m. h.
 a Maple 8 in. diam. P. 1/2 8 1/2 W. 13 lks. dis.
 a W. Elm 14 " " " 84 E. 24 " "
 44.00 Clear Maple Swamp to the N. E.
 47.50 a Road from Peru to Kokomo bars 1/2 30 W.
 * 63.17 a Do 24 " "
 80.00 Established Cor. to Sec 3, 4, 9, 10 p. m. h.
 a B. Oak 18 in. diam. P. 1/2 19 E. 35 lks. dis.
 an Iron? 6 " " " 83 W. 8 " "

Land first 2500 & last 9.00 lks
 Second rate. Timber, Poplar, Lym. Oak, &
 Beech. Land in. Maple Swamp, poor
 timber Maple, Sugar Ash & Elm.

Land first 600 Swamp, from last
 34.00 lks Second rate. Timber W. B. Oak,
 W. Elm, Ash, Iron? & Beech. - 10 lks
 Spruce, Iron? & Beech.

-
- N. 89.40 E. On Random Betw. Sec. 3 & 10 Var. 440 E.
 22.50 State Road from Peru to Kokomo S. W.
 39.00 North part of Maple Swamp bars N. 1/2 S.
 Water 2 feet deep - low current South.
 40.00 Set Swamp, for
 50.00 Clear Maple Swamp
 63.00 State Road from Peru to Strawtown S.
 80.60 Interrupted N. 1/2 S. line 10 lks. S. of 100

Land first 39.00 lks second
 rate. timber W. Oak, Lym. Poplar, and
 Beech. Land first 10.00 Swamp
 (47.90 W. ... 36 in. diam.)

442.

T. 25 N. R. 4 E. 2nd Mer. Indiana,
ch. 1st.

poor - Last 30.60 had poor second
rate - Timber W. Oak, Lym. G. Ash,
Poplar, Beech, Magnolia, P. Ash,
Spruce Beech

48.36 W. Established Line Bet^h Sec. 3 & 10

10.50 a G. Ash 36 in. diam.

16.00 a Lym. 14 " "

30.41 a Maple 8 " "

40.30 Set 2nd Sec. poor p. wh.

a Maple 20 in. diam. to N 88 E. 20 lks.

a G. Ash 14 " " " N 24 W. 22 "

65.91 a Beech 18 " "

80.60 to Sec. 60.

N. 10 E. Return Sec. 3 & 4, Var. 4.50 East

17.00 a Maple Swamp.

28.00 Clear 20

46.00 Set 2nd Sec. poor p. wh.

78.15 Interrupted in Runway 24 lks W. of poor
Co. to Sec. 33 & 34 (26 lks. N. 4 E.

Land from 17.00 had second
rate - Last 12.00 had second rate - Timber
W. Oak, Lym. Elm, Beech. Land in
Swamp poor. Water from 1 to 2 feet deep

Land last 38.15 had good
second rate - Timber Oak, G. Ash, Lym.,
Beech - Magnolia, Spruce, P. Ash,
Cedar Beech

South Established Line Bet^h Sec. 3 & 4

a Beech 12 in. diam. to N 20 E. 73 lks. x

a Buckeye 8 " " " N 21 W. 16 "

5.00 a Hickory 18 " "

30.10 a Beech 12 " "

38.15 Set 2nd Sec. poor p. wh.

T. 25 N. R. 46 E. 2nd Mer. Indiana, 443.
Ch. Lk.

a W. Elm 24 in. diam. $\frac{1}{2}$ S $25\frac{1}{2}$ E, 23 Lk.
a Q. Ash 12 " " " $\frac{1}{2}$ S $35\frac{1}{2}$ W, 32 "
53.27 a Beech 12 " "
73.46 a Do 24 " "
78.15 to Sec. Co. Feb. 6. 1847

North Beluren Section 32 & 33 Jan. 4th 50 E.
16.00 Water Elm 24 in. diam.
25.50 a S. Elm 18 " "
40.00 Established 2nd Sec. for S. wh.
a Beech 20 in. diam. $\frac{1}{2}$ S $44\frac{1}{2}$ E, 14 Lk.
an Ironb. 6 " " " $\frac{1}{2}$ S $19\frac{1}{2}$ W, 17 "
49.76 a Lym 14 " "
64.93 a Hickory 18 " "
80.00 Established Cor. to Sec. 28, 29, 32, 33 p. wh.
a W. Elm 30 in. diam. $\frac{1}{2}$ S $77\frac{1}{2}$ W, 17 Lk.
a Do 18 " " " $\frac{1}{2}$ S 40 E, 35 "
Land throughout this Sec. 30
wt. this date. Timber Syc. Ash. Elm.
Oak, Lym. & Maple. Magnolia.
Spruce, P. Ash. & Ironwood

N. 89.30 E On Random Bitt. Sec. 28 & 33 Jan. 4th 36 E.
10.00 Maple Swamp. Extends S. E.
18.00 Lean Maple Swamp
28.00 Maple Swamp again extends & enlarges
N. in the center of Sec. 28. Slow current
of water S. & S. W.
38.50 Lean Maple Swamp
40.00 Set Temp. post
40.50 a Road leads N. & S.
65.00 a Branch 6 Lk. wide co. N.
68.00 a Road trans S. W.
79.59 Intermittent N. & S. Line 4 Lk. S. of post
Land here & wt. poor. Noona
date. Timber Syc. Elm. Sycamore, Lym. Ash &

444. T. 25 N. R. 4 E. 2nd Mer. Indiana
cls. lks.

Maple - Undgth Spr. P. Ash. & Iron

189.28 W. Established Line Beta: Sec. 28 & 33

18.96 a Sym. 20 in. diam.

35.13 a W. Elm 18 "

39.79 Sel 2nd Sec. for p. wh.

a W. Elm 24 in. diam. B. N. 27 W. 27 lks &
an Iron. 8 " " " 44 1/2 E. 9 "

65.51 a Sug. Ash 18 "

79.59 to Sec. Cor.

North Return Section 28 & 29 Var. 4.50 E.

7.50 Willow Swamp bars E. & W.

Current of Water West

12.00 Lean Willow Swamp

23.89 a Sycamore 30 in. diam.

29.50 a Red Oak 24 " "

40.71 Sel 2nd Sec. for p. wh.

a Beech 24 in. diam. B. N. 40 W. 9 lks &

a Do. 14 " " " N. 3 E. 25 "

45.00 a Branch 8 lks. side of W.

45.35 a G. Ash 14 in. diam.

50.70 a W. Oak 20 " "

55.00 S. side of Improvement

65.00 Clear 40 - 5.00 E. a Log Cabin

78.84 a G. Ash 20 in. diam.

80.00 Sel for Cor. to Sec. 20, 21, 28, 29 p. wh.

a Beech 20 in. diam. B. N. 43 E. 25 lks &

a Do. 12 " " " 47 1/2 E. 28 "

Land from 40.00 to second
rate - Timber W. Oak, G. Ash. and Beech,
Undgth. P. Ash. Spruce & Beech.

Last 4000 gently rolling good
second rate - Timber W. Oak, Poplar, G. Ash.
& Beech - Undgth. Spruce, Beech & Iron

T. 25 N. R. 4 E. 2nd Mer. Indiana,

445.

Chs. 112.

189.30' E On Random Betwⁿ Secs 21 & 28 Var. 4° 50' E.

3.00 a Small Branch co. N.

4.00 Clearing & Log Cabin N.

12.00 Lean Clearing

20.00 a Branch 8ths. wide co. N.

27.00 a Neighborhood Road bars N. E.

40.00 Set 2nd Sec. post

79.46 Interrupted N. & S. line at post

Land first 40.00 rolling second rate - Timber, Oak, Ash, Poplar, & Beech.

Last 40.00 level incline to be with third rate - Timber Soft. Ash. Elm, Sycamore, & Beech. Width. Spruce Beech & Ironwood

189.30' N Established Line Betwⁿ Secs 21 & 28

11.50 a Hickory 18 in. diam.

20.00 a Spruce 30 " "

39.78 Set 2nd Sec. post p. wh.

a Poplar 30 in. diam. to South 1 ck. dis

a Beech 10 " " " N. 61 E. 13 lks.

61.53 a Do 18 " "

79.46 to Sec. Cor. Feb. 6. 1847

North Between Sections 20 & 21 Var. 4° 50' E.

10.08 a Beech 12 in. diam.

12.00 a Branch 3 lks. wide co. N. W.

32.26 a W. Elm 30 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Beech 12 in. diam. to S. W. 14 lks. dis.

a Do " " " S. 70 E. 26 " "

48.50 a Branch 15 lks. wide co. W.

56.00 a W. Beech 6 " "

65.00 a Branch 8 lks. wide co. W. 68.59 Hickory 18 in.

76.00 a Road bars N. E.

80.00 Established Cor. to Secs. 16, 17, 20, 21 p. wh.

446.

T. 25 N. R. 4 E. 2nd Mer. Indiana.

cls. lks.

a Beech 12 in. diam. E. 45 W. 11 lks. dis.

a Do 10 " " " N. 18 E. 42 " "

Land all this 800 gently
 rolling good second rate Timber
 W. Oak & Ash. Poplar. Hickory & Beech.
 Magnolia. Spice. Ironwood & Beech.

N. 89° 30' E. On Random Bata? Sec. 16 & 21 Var. 4° 30' E.

9.00 a Road trans N. E. p. Peru to Kokomo.

40.00 Set 2nd Sec. just

79.52 Intermittent N. E. Line 4 lks. N. of Peru

Land from 4000 gently rolling
 good second rate. Last 36.52 rolling
 second rate. Timber W. Oak. Beech. Poplar.
 & Lym. Magnolia. Spice. Beech & Ironwood

N. 89° 32' W. Established Line Bata? Sec. 16 & 21

19.00 a Lym 18 in. diam.

35.09 a Beech 12 " "

39.76 Set 2nd Sec. just p. wh.

a Beech 12 in. diam. E. 45 W. 15 lks &

a W. Oak 14 " " " 47 1/2 E 25 "

56.47 a Poplar 18 " "

69.21 a Beech 20 " "

79.52 to Sec. Cor.

North Between Sections 16 & 21 Var. 4° 50' E.

10.55 a Beech 12 in. diam.

27.60 a Do 14 " "

38.50 a Branch 8 lks. wide co. W

40.00 Set 2nd Sec. just p. wh.

a Sugar 12 in. diam. E. 45 W. 21 lks &

a B. Oak 18 " " " West 22 "

43.50 North Fork of Big Deer Creek

Low Banks. Slow current.

50 lks. wide course West

447.

T. 25 N. R. 4 E. 2nd Mer. Indiana.

ch. lks.

45.19 a Red Elm 36 in. diam.

69.24 a Do 20 " "

80.00 Established Co. to Sec. 8, 9, 16, 17 p. 10h.

a Sugar. 20 in. diam. to 160 E. 25 lks. dir.

a Beech " " " N. 7 E. 9 " "

Land first 43.00 grully rolling
second rate Timber W. Oak, Red Oak,
Poplar & Beech Next 37.00 Level
second rate Timber R. W. Elm, Lymn,
Gycamore & Beech. - Wngth. Spice,
R. Ash & Beech.

N 89.30 E. On Random Betw. Sec. 9 & 16 Var. 4.30 E.

30.00 a Branch 12 lks. wide ce. South.

32.50 Neighborhood Road trans N 20 E.

40.00 1st Temp. for 2

44.50 a Branch 8 lks. wide ce. South.

59.00 a Road trans S 20 W.

72.50 a Branch 10 lks. wide ce. South

79.23 Intersected N. 4.50 line at post

Land throughout this 79.23

Land good second rate - Timber
Poplar, Sugar, Hickory, Lymn, G. Ash,
and Beech. Wngth. Spice, Beech,
& Ironwood, Scallwing

N 89.30 W. Established Line Betw. Sec. 9 & 16

15.78 a G. Ash 36 in. diam.

31.00 a Sugar 18 " "

39.61 1st 2nd Sec. for 1 p. 10h.

a Beech 12 in. diam. to 16 1/2 E. 18 lks. &

a Do 22 " " " N 29 1/2 W. 9 "

65.10 a Do 12 " "

79.23 to Sec. 6.

North Between Section 8 & 9 Var. 4.50 E.

448. T. 25 N. R. 1 E. 2nd Mer. Indiana
ch. lks.

- 15.16 a Beech 20 in. diam.
23.00 a Branch 6 lks. wide co. E.
31.94 a Sugar 24 in. diam.
37.82 a G. Ash 30 " "
40.00 Set 2nd Sec. just p. wh.
an Iron 8 in. diam. E. N. 10th E. 10 lks. dis.
" do 6 " " " S. 32 E. 27 " "
55.70 a Beech 24 " "
75.39 a G. Ash 36 " "
80.00 Established Cor. to Sec. 4, 5, 8, 9 p. wh.
an Iron 10 in. diam. E. N. 10th E. 10 lks.
a W. Beech 8 " " " N. 44 W. 4 "

Land from 4000 gently
rolling. Last 4000 level. All good
second rate. Timber W. Oak, G. Ash, Elm,
Sugar, Poplar, Hickory, Ironwood, & Beech.
Vine, Spice, Ironwood, & Beech.

N. 89° 30' E. On Random Betw. 2nd Sec. 4 & 9 Van. 430' E.

- 32.00 a Branch 6 lks. wide co. South.
40.00 Set 2nd Sec. just p. wh.
79.51 Interrupted at 1st line at p. wh.
Land from 4000 rolling 2nd
rate. Timber Beech, G. Ash, Poplar, Gum,
& W. Oak. Last 39.51 level second
rate. Timber Oak, G. Ash, Beech,
Sugar, & Gum. Undergrowth. Spice & Beech.

S. 89° 30' W. Established Line Betw. 2nd Sec. 4 & 9

- 24.63 a Beech 18 in. diam.
31.17 a Gum 20 " "
39.75 Set 2nd Sec. just p. wh.
a Maple 6 in. diam. E. N. 10th E. 10 lks. dis.
a W. Elm 30 " " " N. 5 W. 19 " "
56.37 a Beech 12 " "
68.91 a Gum 14 " "

T. 25 N. R. 4 E. 2nd Mer. Indiana ^{449.}

Chs. Mks.

79.51 to Sec. Cor.

North Between Sections 4 & 5 Var. 4.50' E.
 16.00 a Branch 6 lks. w. & co. W.
 40.00 Set Temp. post
 78.20 a Road 2 lks. E of W.
 78.32 Interrupted N. Bouncey 15 lks. W. of post
 cor. to Sec. 32 & 33. T. 26 N. R. 4 E.

Land this 78.32 gently rolling
 good second rate timber W. & P Oak,
 Beech, Walnut, Lym. & Poplar.
 Undergrowth Spruce, Beech & Ironwood

4. 7' W. Established Line bet. Sec. 4 & 5
 * 24.47 a Beech 12 in. diam. { Beech 12. 24 lks. 32 lks.
 31.62 a Do 18 " " { a Do 12 14 5/16 30.83 "
 38.32 Set 2nd Sec. post. p. wch.
 a G. Ash 18 in. diam. E. N. 53 W. 20 lks. dis.
 a Hickory 12 " " " N. 53 1/2 E. 29 " "
 67.56 a Lym 18 " "
 78.32 to Sec. Cor. Monday Feb. 8. 1847

North Between Sections 31 & 32 Var. 4.50' E.
 17.25 a Hickory 18 in. diam.
 20.00 a Willow Pond
 23.00 Lean Pond
 28.50 a Beech 14 in. diam.
 46.00 Set 2nd Sec. post. p. wch.
 a Beech 30 in. diam. E. N. 19 E. 11 lks. x
 a Do 12 " " " S. 5 1/2 W. 25 "
 47.75 a Do 24 " "
 55.26 a Do 12 " "
 65.16 a Do 14 " "
 80.00 Established Cor. to Sec. 29, 30, 31, 32 p. wch.
 a Red Oak 14 in. diam. E. N. 48 W. 20 lks. x
 a Do 18 " " " N. 56 E. 24 "

450.

S. 25 N. R. 4 E. 2nd Mex. Indian
cho. lks.

Land first 40.00 low second
rate Timber W. Oak, Lym, Sugar,
Hickory, Poplar, & Beech.

Land last 40.00 low inclined
to be wet poor second rate. Timber
W. R. Oak, Burr. Oak, Lycamore,
Lym, Hickory & Beech. Undergrowth
throughout this mile - Spice
P. Ash, & Beech.

489.30' E. On Rancier Butte Sec. 29 & 32 Var. 430' E.

3.00 Wet Marshy Land

22.00 Clear Ls

28.50 Wet Land again

40.00 Set Swampy part

73.00 Clear wet Land

79.53 Intersection of S. Line at post

Land from 3.00 and next 6.00
on first 40.00 Low second rate Timber
W. Oak, G. Ash, & Beech. And last 6.
53 lks. of the 79.53 Low second rate Timber
as before - Ballana of the 79.53 Marshy
part. Undergrowth throughout, Spice
P. Ash, & Beech. Timber in Swamp
Elm and Maple.

489.30' W. Established Line Butte Sec. 29 & 32

20.18 a Maple 18 in. diam.

35.00 a Sup. Ash 12 " "

39.76 Set 2nd Sec. from post.

a Sup. Ash 19 in. diam. S. 2 1/2 E. 19 lks. &
an S. Elm 8 " " N. 18 W. 4 "

61.37 a Maple 20 " "

73.00 a Sup. Elm 10 " "

79.53 to Sec. Cor.

T. 25 N. R. 4 E. 2nd Mer. Indiana.

451,

Chs. Mks.

18930 W. On Random Betw. Secs. 30 & 31 Var. 4.30 E.

10.00 Wet Marshy Land

24.00 Lean wet Marshy Land

25.00 a Road from Peru to Kokomo L. W.

40.00 Set Temp. post

78.84 Intersected W. Boundary 2 lks. N. of first
Cor. to Sec. 25 & 36. T. 25 N. R. 3 E. p. 104.

Land first 10.00 and last 16.00
Line 2nd Rate Timber W. & R. Oak & Beech.
principally - Wet Land third rate. Timber
Sup. Elm. Maple & Beech. - Last 38.84 Acre
Second rate - Timber Oak. Poplar,
Lym & Beech. - Undergrowth Spruce & Beech.
Weathering -

18929 E. Connected Line Betw. Secs. 30 & 31

25.00 a Beech 24 in. diam.

38.84 Set 2nd Sec. post p. wh.

a W. Elm. 18 in. diam. to S. 1/4 E. 16 lks. dis.

a Beech - " " " N. 1/4 E. 43 "

65.43 a Swampy Ash 12. " " Lym 14 N. 26 E. 39 lks.

78.84 to Sec. Cor. Beech 12 S. 76 E. 11 "

North Between Sections 29 & 30 Var. 4.30 E.

5.00 Wet Marshy Land

21.00 a Branch 10 lks. wide co. W.

25.00 Lean wet Land

29.20 a Beech 10 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Beech 8 in. diam. to S. 57 E. 37 lks. &

a Hickory 8 " " " N. 6 E. 6 "

46.00 Road from Peru to Kokomo cross L. W.

46.93 a Hickory 18 in. diam.

72.64 a W. Elm 18 " "

80.00 Established Cor. to Secs. 19, 20, 29, 30 p. wh.

a W. Elm 20 in. diam. to N. 53 E. 56 lks. dis.

T. 25 N. R. 4 E. 2nd Mer. Indiana.Chs. 16th

a W. Elm 36 in. diam. to S. 6 W. 27 lbs. dia.

Land firm 5.00 & last 15.00

Live good. Second rate - Timber W. Oak,

Poplar, Lym. Hickory, and Beech-

Well Land third rate - Timber

Swamp. Ash, Elm, Sycamore, & Lym

Last 40.00 Live Open, Second rate

Timber W. R. Oak, Red W. Elm, Poplar,

& Beech. - Undr. th. Spice & Beech.

Scattering

N. 89° 30' E. On Random Betw. Sec. 20 & 29. Mer. 43° 0' E.

24.50 Road from Peru to Kokomo to S. W.

40.00 Set Temp. pole

45.00 a Branch 6 lbs. wide co. North.

73.50 Large Branch 15 lbs. wide co. N. W.

79.00 Intimated A. & S. Elm 32 lbs. S. of pole

Land firm 40.00 Live

Last 39.00 gently rolling all second

rate - Timber Poplar, Oak, and Beech.

Undr. th. Spice, Beech, Ironwood -

N. 89° 57' W. Established Line Betw. Sec. 20 & 29

15.00 a Walnut 30 in. diam.

30.08 a Beech 12 " "

39.50 Set 2nd Sec. pole path.

a Beech 8 in. diam. to S. 5 E. 21 lbs.

a Do 14 " " " N. 36 E. 13 "

55.60 a Lym 12 " "

72.09 a Beech 18 " "

79.00 to Sec. Cor.

N. 89° 30' W. On Random Betw. Sec. 19 & 30 Mer. 43° 0' E.

5.00 a Branch 4 lbs. wide co. N. 5 W.

40.00 Set Temp. pole

42.00 a Willow Swamp Extends S. E.

453.

T. 23 N. R. 4 E. 2nd Mer. Indiana

chs. lks.

47.00 Clear Willow Swamp.

79.62 Intersected W. Boundary at foot
Cor. to Sec. 24 & 25 T. 23 N. R. 3 E.

Land from 4200 gently rolling
Second rate Timber W. Oak, G. Ash, Lybm.
Sugar & Beech. Last 32.62 land poor
Second rate Timber Poplar, Lybm & Beech.
Wingth, Spruce, Beech & Hornwood

N. 89° 30' E. Established Line Betwst Sec. 19 & 30
a Beech 20 in. diam. to N. 89° E. 35 lks. &
a Sugar 12 " " " N. 10 1/2° E. 25 "

28.56 a Beech 24 " "

39.62 Set 2nd Sec. foot post.

a Sug. Ash 10 in. diam. to N. 7 1/2° E. 18 lks. &

a Bur. Oak, 20 " " " N. 62 W. 20 "

60.35 a Beech 20 " "

79.62 to Sec. Cor. Feb. 7. 9. 1847

North Between Sections 19 & 20 Var. 45° E.

2.50 a Red Oak 30 in. diam.

8.37 a Poplar 36 " "

11.50 a Branch 6 lks. wide cor. N. 10 E.

18.00 Branch again corner " N. W.

31.91 a Beech 24 in. diam.

36.00 a Branch 6 lks. wide cor. West

38.00 Branch Again " N. 20 E.

40.00 Set 2nd Sec. foot post.

a R. Elm 18 in. diam. to N. 20 1/2 W. 30 lks.

a Beech 8 " " " S. 48 1/2 W. 21 "

58.30 a Walnut 48 " "

80.00 Established Cor. to Sec. 17, 18, 19, 20 post.

an Ironw^{ood} 8 in. diam. to N. 34 1/2 E. 21 lks. &

a Beech 12 " " " N. 2 1/2 W. 34 "

Land from 4600 gently rolling
good Second rate Timber W. Oak. Poplar.

T. 25 N. R. 4 E. 2nd Mer. Indiana.

Ch. 16.

Walnut & Beech

Last 40.00 Lumber second rate -
Timber W. Oak, Lym. Hickory & Beech.
Undgth. Spice Beech & Ironwood

189.30 On Random Betw. Sec. 17 & 20 Var. 430' E.

22.50 a Branch 60 k. wide co. N. E.

33.50 a Small Creek 20 k. " North

57.00 Creek again 20 " S. E.

60.00 Creek again 20 " North

61.00 a Road cross 420 W.

79.75 Interrupted M. & T. Line at post

Land throughout this 80.00
Lumber second rate - Timber W. Oak,
Lym. G. Ash & Beech, - Undgth.
Spice, Ironwood & Beech

189.30 W. Established Line Betw. Sec. 17 & 20

18.36 a Beech 20 in. diam.

30.20 a W. Oak 18 " "

39.87 Set 2nd Sec. post p. wh.

a Beech 12 in. diam. b. 482 1/2' E. 17 k. S.

a Lym 24 " " " 427' E. 23 "

55.63 a Do 18 " "

60.12 a Beech 20 " "

79.75 to Sec. Cor.

189.30 W. On Random Betw. Sec. 18 & 19 Var. 435' E.

15.00 Wet Land extends S. W. & N. E.

40.00 Set Temp. post

45.00 Clear wet Land

53.00 a Branch 10 k. wide co. N. E.

64.50 a Do 6 " " " N. W.

68.00 a Swamp extends South

78.70 Interrupted M. Boundary 12 k. S. of post
Land from 15.00 wet second

T. 25 N. R. 4 E. 2nd Mer. Indiana.

455.

Chs. lks.

rate - Timber W. Oak, Poplar, Sugar & Beech. - Next 30.00 will third rate - Timber Suf. Elm, Ash, Maple & Syc. - Next 23.70 Low second rate. Last 10.70 poor - Undergrowth. Spice, Beech, Ironwood

- N. 89.34 E. Established Line Betw. Secs. 18 & 19
 20.33 a Beech 20 in. diam. } Ironw. 8. N. 55 E. 23 lks.
 31.10 a Do 8 " " } Hacky - 24 3/4 E. 15 "
 38.70 Sel 2nd Sec. post p. w. h.
 an Ironwood 8 in. diam. N. 56 1/2 W. 14 lks. &
 a W. Oak 24 " " " South 12 "
 70.71 a Poplar 48 " "
 78.70 to Sec. Cor.

- North Between Sections 17 & 18 Var. 4:50 E.
 12.00 North Fork of Big Deer Creek 50 lks. wide
 course W. of Bank 7 feet high. N. Bank,
 Low Bottom Land continues North.
 25.00 Gradual Ascent of Land high 4 ft. Elev. 10°
 36.04 a Beech 12 in. diam.
 40.00 Sel 2nd Sec. post p. w. h.
 a Bur Oak 18 in. diam. N. 10 1/2 E. 22 lks.
 a Do 20 " " " N. 10 1/2 W. 22 "
 43.50 a Do 20 " "
 49.08 a W. Oak 20 " "
 67.11 a Red Oak 20 " "
 80.00 Established Cor. to Secs. 7, 8, 17, 18 p. w. h.
 an Ironw. 8 in. diam. N. 10 1/2 W. 15 lks. &
 a Beech 8 " " " N. 1 W. 29 "
 Land from 12.00 Low second
 rate - Timber W. Oak, Ash, & Beech. - Next
 13.00 Low Bottom Land, rich soil. Subject
 to inundation - Timber Buckeye, Hackberry,
 Sycamore & Elm. Last 15.00 low second rate -
 Land last 40.00 low second

T. 25 N. R. 4 E. 2nd Mer. Indiana.

Chs. lks.

rate - Timber Oak, Poplar, Sugar & Beech. Undergrowth. Through out - Spice P. Ash. Birch & Hornb.

189.30' E On Random Butte Dec. 8 & 17 Var. 435' E.
 40.00 Set Temp. 7. post
 52.00 a Branch 6 lks. wide co. S. E.
 57.00 a Do 4 " " " South
 69.00 a Do 4 " " " South.
 79.50 Intersected N. S. Line at post
 Land gently rolling good
 Second rate Timber Poplar, Sugar, Beech, W. Oak, Gum, Hickory - Undergrowth. Spice, Birch & Hornb.

189.30' W. Established Line Butte Dec. 8 & 17
 25.97 a Gum 12 in. diam.
 39.75 Set 2nd Dec. post p. w. h.
 a Beech 15 in. diam. B. 4. 78 W. 15 lks. &
 a Do 18 " " " N 27 E. 22 "
 56.19 a Do 20 " " "
 68.00 a Gum 14 " "
 79.50 to Bee. Cor.

189.30' W. On Random Butte Dec. 7 & 18. Var. 435' E.
 6.00 a Branch 3 lks. wide co. S. W.
 11.00 a Do 3 " " " S. W.
 33.00 a Do 10 " " " South
 40.00 Set Temp. 7. post
 48.00 a Branch 6 lks. wide co. South
 78.87 Intersected W. Boundary at post
 Cor. to Dec. 12 & 13 T. 25 N. R. 3 E.
 Land this 78.87 gently rolling
 Second rate - Timber W. Oak, G. Ash, Gum, Sugar, Poplar, Beech - Undergrowth. Spice, Hornb. & Birch.

457.

T. 25 N. R. 4 E. 2nd Mer. Indiana,

chs. lks.

- N. 89° 30' E. Established Line Betwⁿ Secs. 7 & 18
 19.36 a Beech 18 in. diam. } G. Oak 18 N. 45° E. 31 lks.
 30.91 a Poplar 24 " " } Buckeye 8 S. 60° E. 25 "
 38.87 Established 2nd Sec. post p. u. h.
 a Elm. 14 in. diam. N. 9° E. 28 lks. &
 a Buckeye 8 " " " S. 51° W. 15 "
 70.25 a Beech 12 " "
 78.87 to Sec. Cor. Feb. 10. 1847

- North Between Sections 7 & 18 Var. 45° E.
 8.56 a Beech 12 in. diam.
 12.00 a Branch 10 lks. wide co. S. W.
 27.04 a Hickory 30 in. diam.
 38.00 1.00 M. G. E. Cor. of Small Improvement
 40.00 1st 2nd Sec. post p. u. h.
 a Beech 8 in. diam. N. 84° E. 5 lks. &
 a Do 6 " " " N. 23° W. 26 "
 42.00 Leave N. E. Cor. of Improvement
 45.00 a Branch 8 lks. wide co. N. W.
 60.75 a Hickory Elm 24 in. diam.
 80.00 Established Cor. to Secs. 5, 6, 7 & 18 p. u. h.
 an Iron 8 in. diam. N. 46° E. 11 lks. dia
 a Do 10 " " " N. 71° W. 17 "
 Land this 80.00 gently
 rolling good second white - Timber
 N. Oak, G. Oak, Lym. Poplar, Sugar,
 Hickory, Beech, Sycamore, Spice
 Ironwood & Beech

- N. 89° 30' E. On Random Betwⁿ Secs. 5 & 18 Var. 43° E.
 40.00 1st Swampy post
 49.00 Willow Swamp, extends S. W. in to Sec.
 8 and enlarges in the Centre of the Sec.
 56.00 Leave Swamp
 79.60 Intersected Sec. Line at post
 Land from 49.00 gently rolling

458.

125 N. R. E. 2nd Mer. Indiana.
cls. lks.

second rate Timber W. Oak. Poplar.
Hickory, Lym. & Beech Last 23.40
Lowl. second rate - Timber - Oak.
Poplar, Beech, Lym. Maple & Sugar,
Width throughout Spruce, Beech,
and Hemlock

489.30 W. Established Line Bita? Sec. 5 & 8.

18.96 a Beech 24 in diam.

36.41 a Lym 18 "

39.80 Set 2nd Sec. first p. wh.

a Beech 8 in. diam. B. 150 E. 21 lks. &

a Do 10 " " " N. 20 E. 32 "

59.34 a Do 12 " "

65.06 a Lym 18 " "

79.60 to Sec. Cor.

489.30 W. On Random Bita? Sec. 6 & 7 Var. 435 E.

40.00 Set Temp. post

43.50 a Willow Swamp.

53.00 Low Swamp

65.00 a Maple & Willow Swamp.

76.00 Low Swamp.

76.50 a Road bars N. & S.

78.91 Interrupted W. Boundary 10 lks. N. of post

Land firm 42.00 Low second
rate - Timber White Oak Poplar,
& Beech. Next 1.00 Sup. poor. - Next
12.00 Low second rate Land - Next
11.00 Swamp - Last 2.91 Low 2nd
rate - Timber on dry Land as before
Width. Spruce, Hemlock & Beech.

489.26 E. Established Line Bita? Sec. 6 & 7.

15.61 a Beech 12 in diam. { Iron 8 1/2 64 E. 45 lks.

20.15 a Lym 18 " " { Do 6 1/2 88 E. 27 "

459.

No. 25 N. R. 4 E. 2nd Mer. Indiana.

chk. lks.

38.91 Set 2^d Sec. post p. wh.
 a Pin-Oak 14 in. diam. R. North 30 lks.
 a Hickory 24 " " " 429 E. 25 "
 61.06 a Beech 18 " "
 70.19 a Gum 12 " "
 78.91 to Sec. Cor.

North Between Sections 5 & 6 Var. 430' E.

40.00 Set Temp'y. post
 43.00 a Branch 8 lks. wide co. W.
 78.00 Interrupted N. Boundary. 20 lks. E. of post
 Cor. to Sec. 31 & 32 T. 26 N. R. 4 E.

Land from 4000 Lual 2nd
 rate - Timber Oak, Ash, Poplar
 Gum & Beech - Last 38.00
 gently rolling good second rate -
 Timber W. Oak, Poplar, Gum, Sugar,
 & Beech - Undergrowth: Spice, Ironwood,
 & Beech - Feb'y. 11. 1847

4.8'E. Established Line. Between Sec. 5 & 6.

* 18.06 a Beech 20 in. diam. { Beech 18 & 33 1/2 W. 83 lks.
 31.56 a Gum 20 " " { Do 12 & 36 1/2 E. 34 "
 38.00 Established 2^d Sec. post p. wh.
 a Beech 12 in. diam. R. N. 67 W. 10 lks. dis.
 a Do 8 " " " N. 73 E. 10 " "
 61.00 a Do 12 " "
 71.18 a Poplar 20 " "
 78.00 to Sec. Cor. - Feb'y. 11. 1847

Genl. Description

The Land in Township
 No. 25 N. of Range No. 4 East is heavy
 timbered, first & second rate. generally
 dry, with the exception of a few large

T. 25 N. R. 4 E. 2nd Mer. Indiana.

Swamps or Marshes. The North fork of Big Deer Creek runs through this Township from East to West, with a slow current, and low Banks - Subject to inundation - There is a second Bank or Elevation varying from one to thirty Chains from the bed of the Creek, which ascends to the height of twelve to fifteen feet.

The Swamps and Marshes are poor soil - The water being from one to three feet deep, with Outlets or Branches that intersect the North fork of Big Deer Creek - The Banks along the Branches are generally low, and subject to be overflowed.

This is as good a Township of Land as there is in the Miami Reserve.

I Abner E. Van Ness Depy. Surveyor, do solemnly swear that in pursuance of a Contract dated May the twentieth 1846 with Lucius Lyon, Surveyor General of the United States for Ohio, Indiana, Michigan and in strict conformity to the Laws of the United States, and instructions of said Sur^r. Genl. I have regularly surveyed & subdivided into Sections Township N. 25 N. R. 4 E. of the 2nd principal Meridian in the State of Indiana - And I do further solemnly swear that the foregoing are the true, and original Field Notes of said Survey and Subdivision executed as aforesaid. Abner E. Van Ness Depy. Sur^r.

461.

T. 25 N. R. 4 E. 2nd Mer. Indiana.

Subscribed and sworn to
before me this 23rd day of May
1847. Jas. W. Quinn
Justice of the Peace

Jerome N. Gurrier }
James Bell. } Chairmen
Isaac M. Clinch } Marker-

I Certify that the foregoing
Transcript of the Field Notes of
Township No. 25 North in Range
No. 4 East - 2nd Meridian in
Indiana has been compared
with the Original Notes in this
Office and found to be correct -
Surveyor Genl. Office
Detroit. Nov. 1. 1849. }

Lucius Lyon,
Asst. Genl.